

Data Sheet

TECHNICAL CONCEPTS

Date of issue: 26/10/2015

Revision date:

Version: 1.0

:

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking
1.1. Product identifier	botanoe/mixture and of the company/andertaking
Product name	: INSTANT HAND SANITIZER
Product code	: RHG 4520
Type of product	: Alcohol Hand Sanitizer
SKU #	: FG450030
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: For professional use only
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safet	y data sheet
Rubbermaid Commercial Products LLC 3124 Valley Avenue VA 22601-2694 Winchester - USA T (540) 6678700 www.rubbermaidcommercial.com	
1.4. Emergency telephone number	
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazards identification

This product is considered flammable. Mixture of water, mild surfactants, preservative and alcohol. This is a consumer care product that is safe for consumers when used according to the label directions. Potential hazards that may occur if product is not used according to the consumer label are as follows: Direct contact with the eye may cause irritation. This product is not hazardous according to OSHA 29CFR 1910.1200. Information on the composition may be found in the ingredients declaration on the packaging.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Component
ALCOHOL
AQUA
ISOPROPYL ALCOHOL
SODIUM LACTATE
Lactic Acid
HYDROXYPROPYLCELLULOSE

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after skin contact	: None under normal use.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell. Drink plenty of water. Do NOT induce vomiting.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/injuries	: Not applicable.
20/11/2015	EN (English) 1/7

Data Sheet

Symptoms/injuries after eye contac	t : Causes serious eye irr	tation.
4.3. Indication of any imme	diate medical attention and special tre	eatment needed
Not applicable.		
SECTION 5: Firefighting n	neasures	
5.1. Extinguishing media		
Suitable extinguishing media	: Carbon dioxide. Dry po	wder. Foam. Sand. Water spray.
5.2. Special hazards arising	from the substance or mixture	
Fire hazard	: Highly flammable liquic	and vapour
Explosion hazard	0, 1	kplosive vapour-air mixture.
Hazardous decomposition products	•	
fire		
5.3. Advice for firefighters		
Other information	: Not applicable.	
SECTION 6: Accidental re	lease measures	
6.1. Personal precautions,	protective equipment and emergency	procedures
General measures	: Take up liquid spill into static electric charges.	absorbent material. Remove ignition sources. Use special care to avo No open flames. No smoking.
6.1.1. For non-emergency per No additional information available		
6.1.2. For emergency respon	ders	
No additional information available		
6.2. Environmental precaut	ions	
No additional information available		
6.3. Methods and material f	or containment and cleaning up	
Methods for cleaning up	: Take up liquid spill into	absorbent material.
Other information	: Can be slippery on har	
6.4. Reference to other sec		
For further information refer to sec		
SECTION 7: Handling and	storage	
7.1. Precautions for safe ha		
Additional hazards when processe	5	ers with care because residual vapours are flammable.
Precautions for safe handling		n flames. No smoking. Use only non-sparking tools.
Hygiene measures	: Not applicable. No ope	
		J.
7.2. Conditions for safe sto Technical measures	rage, including any incompatibilities	regulations. Proper grounding procedures to avoid static electricity
rechnical measures		bound/bond container and receiving equipment.
Storage conditions	: Keep away from heat, smoking. Keep only in	hot surfaces, sparks, open flames and other ignition sources. No original container. Keep cool. Keep in fireproof place. Keep container
ncompatible materials	tightly closed. : Heat sources.	
•		
7.3. Specific end use(s)		
Not applicable.		
SECTION 8: Exposure cor	trols/personal protection	
8.1. Control parameters		
ISOPROPYL ALCOHOL (67-63-	0)	
	ocal name	2-Propanol
	CGIH TWA (ppm)	200 ppm
	CGIH STEL (ppm)	400 ppm
	Remark (ACGIH)	Eye & URT irr; CNS impair
USA - OSHA L	ocal name	Isopropyl alcohol
USA - OSHA C	OSHA PEL (TWA) (mg/m³)	980 mg/m³

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907	7/2006 (REACH) with it	s amendment Regulation (EC) No. 453/201	0
ISOPROPYL ALCOHOL (67-63-0)			
USA - OSHA	OSHA PEL (TWA) (ppm)		400 ppm
Alcohol (64-17-5)	I		
USA - ACGIH	Local name		Ethanol
USA - ACGIH	ACGIH STEL (ppr	m)	1000 ppm
USA - ACGIH	Remark (ACGIH)	,	URT irr
USA - OSHA	Local name		Ethyl alcohol (Ethanol)
USA - OSHA	OSHA PEL (TWA) (mg/m³)	1900 mg/m ³
USA - OSHA	OSHA PEL (TWA) (ppm)	1000 ppm
Additional information	:	Not applicable	
8.2. Exposure controls			
Eye protection	:	None under normal use	
Respiratory protection	:	None under normal use	
SECTION 9: Physical an	d chemical pro	poerties	
9.1. Information on basic			
Physical state		Liquid	
		•	
Appearance Colour		Transparent.	
	:	clear.	
Odour	:	odourless.	
Odour threshold	:	No data available	
рН		5.5 - 6.5	
Relative evaporation rate (butyla	acetate=1) :	No data available	
Melting point	:	No data available	
Freezing point	:	No data available	
Boiling point	:	> 78 °C	
Flash point	:	20 °C	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Flammability (solid, gas)		Highly flammable liquid and vapour	
Vapour pressure		No data available	
Relative vapour density at 20 °C	· ·	No data available	
Relative density		0.89 - 0.9	
•			
Solubility	•	No data available	
Log Pow	-	No data available	
Viscosity, kinematic	:	10 - 12 seconds (DIN 53211)	
Viscosity, dynamic	:	No data available	
Explosive properties	:	No data available	
Oxidising properties	:	No data available	
Explosive limits	:	No data available	
9.2. Other information			
No additional information availab	ble		
SECTION 10: Stability a	nd reactivity		
10.1. Reactivity			
Not applicable.			
10.2. Chemical stability		Mov form flommoble (overlassive version	r oir mixturo
not applicable. Highly flammable	e iiquiu and vapour.	May form flammable/explosive vapour	i-ali mixiule.

10.3.	Possibility of hazardous reactions		
Not appli	cable.		
10.4.	Conditions to avoid		
Not appli	cable. Open flame. Direct sunlight.		
20/11/2015	5	EN (English)	3/7

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907/2006 (REACH) with	n its amenoment Regulation (EC) No. 453/2010	
10.5. Incompatible materials		
Not applicable.		
10.6. Hazardous decomposition products		
Not applicable. May release flammable gases.		
SECTION 11: Toxicological information	on	
11.1. Information on toxicological effects		
Acute toxicity	: Not classified	
ISOPROPYL ALCOHOL (67-63-0)		
LD50 oral rat	2000 mg/kg	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rat	2000 mg/kg	
LD50 dermal	12800 mg/kg bodyweight	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m ³	
Alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LD50 oral	10470 mg/kg bodyweight	
LD50 dermal rabbit	> 16000 mg/kg	
LD50 dermal	15800 mg/kg bodyweight	
LC50 inhalation rat (mg/l)	> 20 mg/l/4h	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/m ³	
Skin corrosion/irritation	: Not classified	
	pH: 5.5 - 6.5	
Serious eye damage/irritation	: Not classified	
	pH: 5.5 - 6.5	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: Not classified	
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	5012 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	275 mg/LIC50 algea (72 h) mg/L	

EC50 other aquatic organisms 2	275 mg/l IC50 algea (72 h) mg/l
40.0 Development of the second shared as hilling	
12.2. Persistence and degradability	
INSTANT HAND SANITIZER	
Persistence and degradability	Not applicable.
Alcohol (64-17-5)	
Persistence and degradability	Not established.

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

ccording to Regulation (EC) No. 1907/2006 (REACH) with	
12.3. Bioaccumulative potential	
INSTANT HAND SANITIZER	
Bioaccumulative potential	Not applicable.
ISOPROPYL ALCOHOL (67-63-0)	
Log Pow	0.14
Alcohol (64-17-5)	·
Log Pow	-0.3
Bioaccumulative potential	Not established.
12.4. Mobility in soil	·
INSTANT HAND SANITIZER	
Ecology - soil	Not applicable.
12.5. Results of PBT and vPvB assessmen	
No additional information available	t
12.6. Other adverse effects	
Other adverse effects	: Not applicable.
SECTION 13: Disposal consideration	3
13.1. Waste treatment methods	
Waste disposal recommendations	: Refer to manufacturer/supplier for information on recovery/recycling. Dispose of
waste disposar recommendations	contents/container to an approved waste disposal plant.
Additional information	: Handle empty containers with care because residual vapours are flammable.
SECTION 14: Transport information	
n accordance with DOT	
Fransport document description	: UN1170 Ethanol solutions, 3, II
JN-No.(DOT)	: UN1170
Proper Shipping Name (DOT)	: Ethanol solutions
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Additional information	
Other information	: No supplementary information available.
20/11/2015	EN (English) 5/7

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

ADR

Transport document description	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)
Packing group (ADR)	: 11
Class (ADR)	: 3 - Flammable liquid
Hazard identification number (Kemler No.)	: 33
Classification code (ADR)	: F1
Danger labels (ADR)	: 3 - Flammable liquids
	3
Orange plates	33 1170
Tunnel restriction code (ADR)	: D/E
LQ	: 11
Excepted quantities (ADR)	: E2
Transport by sea	
UN-No. (IMDG)	: 1170
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Air transport	
	: 1170
UN-No. (IATA) Proper Shipping Name (IATA)	: Ethanol solution
Class (IATA)	: 3 - Flammable Liquids

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: II - Medium Danger

15.1.1. 15.1. US Federal regulations

Packing group (IATA)

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information:

TSCA 8 (b) Inventory Status: Inventory.	All components are listed or are exempt from listing on the Toxic Substances Control Act
TSCA 12 (b) Export Notification	None above reporting de minimis
CERCLA/SARA Section 302:	None above reporting de minimis
CERCLA/SARA Section 311/312	Not available.
CERCLA/SARA Section 313:	None above reporting de minimis
California Proposition 65:	No California Proposition 65 listed chemicals are known to be present.
-	

Canada Regulatory Information:

CEPA DSL/NDSL Status: the information required by the CPR

This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all

15.1.2. National regulations

No additional information available

Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

cosmetic data sheet US alcohol

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product